



Crystalline Silica Employee Training Concise

Quiz

ANSWERS TO THE REVIEW QUESTIONS

1. a

2. c

3. b

4. b

5. a

6. a

CRYSTALLINE SILICA EMPLOYEE TRAINING (Concise)
REVIEW QUIZ

Name _____ Date _____

Please provide answers to the following to show how well you understand the information presented during this program.

1. Silica dust can be so small that it cannot be seen with the naked eye.
 - a. True
 - b. False

2. Which type of silicosis occurs after many years of low to moderate exposure to silica dust?
 - a. Acute silicosis
 - b. Complicated silicosis
 - c. Chronic silicosis

3. OSHA has set the permissible exposure limit, often called the “PEL”, of crystalline silica to be _____ of respirable crystalline silica per cubic meter of air averaged over an eight-hour work day.
 - a. 25 micrograms
 - b. 50 micrograms
 - c. 100 micrograms

4. Work practice controls refer to actions taken by your employer to reduce exposure to silica dust.
 - a. True
 - b. False

5. You should avoid using compressed air to remove build ups of silica dust.
 - a. True
 - b. False

6. If you use a filter-type respirator as protection against silica dust, it should have an assigned protection factor of at least _____.
 - a. 10
 - b. 50
 - c. 100